

## CNC Router - RK1325ATC-L



---

This type machine uses a straight-line tool change device, and the tool change device can be installed in different positions according to the specific needs of the user.

Firstly, the in-line tool magazine can be placed behind the bed.

This conventional in-line tool changer engraving machine is cost-effective and can meet a variety of processing requirements for complex work pieces without high procurement costs.

Secondly, the in-line tool magazine can also be placed under the gantry. This type of linear engraving machine does not need to go to the back of the bed to change tools, so the tool change speed is faster and the wear on the guide rail can be reduced, and the service life of the machine is relatively longer.

It is worth mentioning that the number of tools in the in-line tool magazine can be customized according to the specific processing needs of the user

## Specification:

<b>Model</b>	<b>RK1325ATC-L</b>
X axis travel	1300mm
Y axis travel	2500mm
Z axis travel	250mm
Processing accuracy	±0.05mm
Repeat positioning accuracy	±0.05mm
Tool magazine	In-line tool magazine 12 tools
Repeat positioning	0.05mm
Operating System	Taiwan LNC Control System
Guide rail	Taiwan square rail
Running speed	85m/min
Carving speed	30m/min
Software operating environment	Windows2000/XP/98
Engraving instruction	G-code/HP-GL
Spindle	JST 9kw 18000r/min air-cooled spindle
Drive motor	JMK 1.5kw servo motor

Warranty 1 year

---

## Features:

### Advantages:

- 1.CE Certificate
- 2.OEM available
- 3.Advanced design for appearance
- 4.Cover with Hollow LED light

### Feature:

#### 1.ALL-WELDED STEEL BASE :

Made of rectangular steel tubes, it provides a sufficient degree of rigidity to the machine structure and good resistance to static and dynamic loads.The bed is made by CNC metalworking centers, which makes it possible to obtain high accuracy and quality when processing workpieces of any size.

#### 2.STEEL PORTAL :

Made of rectangular steel pipes and reinforced with additional stiffeners inside.The construction of the portal provides a high degree of rigidity, resistance to static and dynamic loads.Portals frame is made by CNC metalworking centers.

Guaranteed high accuracy and quality better than the cheap lightweight aluminum portals.

### 3.SKEWED GEARS GEAR - RACK AXIS X –Y :

The teeth in helical gears are loaded gradually as they enter the engagement zone, at least two pairs of teeth are always in engagement. These factors determine the smooth operation of the helical gearing, as well as the reduction of noise and additional dynamic loads in comparison with the spur gearing.

### 4.Z-AXIS SPEED BALL SCREW :

As the Z axis is considered the most loaded axis during machining, the use of ball screws ensures extremely low friction of the elements, and this in turn protects the assembly from rapid wear and a significant decrease in efficiency, as well as from heating the rubbing elements during operation.

### 5.AIR-COOLED INDUSTRIAL ELECTRIC SPINDLE “HQP” (4.5kW - 18,000 RPM) :

The design and components of this electrospindle are 100% identical to those of the world's leading spindle manufacturer - HQD.

Rotation frequency (18,000 rpm) and power (4.5KW) make it possible to process wood parts, as well as chipboard, MDF, plastic, acrylic glass and other materials.

### 6.VACUUM TABLE WITH "T" - GROOVES :

The working table of the machine is made of wear-resistant polymer with integrated aluminum rails "T" -shaped.

This design makes it possible to choose the method of fixing the workpiece, by vacuum absorption or with the help of mechanical clamps. This allows you to turn off the vacuum pump and save energy while not requiring frequent changing workpieces.

---

## 7. STEPPER MOTORS:

Moving along all axes, provide accurate positioning of the portal and spindle in accordance with the specified program.

Low purchasing cost but cost-efficient in using.

## 8. MASSIVE STEEL PORTAL:

The machine is fit for making cabinet door, wardrobe door, plastic door, wood decoration, partitions and some other industries;


Single or complex panel designs can be completed in one process such as drilling, shaping, carving, cutting and various kinds of


3D modeling. This machine can be single use, or integrated with automatic labeling device, door hinge hole borer, door panel turner, door shaping and cutting finally to own a fully automatic door line.

## 9. AUTO-TOOL CHANGE:

High-performance all-round machinery with extraordinary value, but at a very economical price. With linear tool changer, constructed with world-class components, consistent high performance.

## Details:

<p>9kw HQD Air cooling ATC spindle</p>	
<p>25mm Square rail</p>	
<p>Taiwan LNC system</p>	

<p>1.5M Oblique gear transmission</p>	
<p>FEMERE servo with Japanese 850 SHIMPO reducer, large torque, ensure the processing speed and stability of the equipment.</p>	
<p>Electric oil injection can automatically set oil according to time to ensure lubrication of slider lead screw guide rail and prolong service life.</p>	
<p>12 tools for auto change with linear-type</p>	

<p>Vacuum table &amp; 7.5kw water vacuumpump</p>	
<p>Positioning cylinder</p>	
<p>Press roller Feeding is more convenient</p>	
<p>Feeding roller</p>	

Independent cabinet







**[www.radek.com.mk](http://www.radek.com.mk)**



**[fb.com/radek.com.mk](https://fb.com/radek.com.mk)**



**[info@radek.com.mk](mailto:info@radek.com.mk)**



**+38970 215 994**



**+38970 215 994**



**radek woodworking machines**



**Skopje, Jadranska Magistrala 71b**

---

QUALITY, DESIGN & TECHNOLOGY FROM KOREAN BRAND

**PREMIUM QUALITY, EXCELLENT SERVICE AND COMPETITIVE PRICE!**

FACTORY WHO HAS OVER 60' YEARS HISTORY OF MANUFACTURING



**THE MORE YOU KNOW US, THE MORE YOU TRUST US!**